

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(mohammad near2 (el adj batal)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 10:31
S2	58	(bret near2 weber).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 10:36
S3	6	(mark near2 nossokoff).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 07:40
S4	8617	(lsi adj logic).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 10:34
S5	1669	S4 and (network and device (spare extra (back adj up) reserve))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 10:35
S6	60	S4 and (network and device) with (spare extra (back adj up) reserve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:06
S7	9430	(709/223 714/4 714/7 714/13).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:08

EAST Search History

S8	23	("6654816" "5305013" "5367647" "5754112" "5790374" "5864659" "5966510" "6055653" "6505272" "6778409" "6907500").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:25
S9	0	("0054477" "0133736" "0144508").ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:16
S10	1	("20020054477" "20020133736" "20050144508").pdid.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 11:17
S11	6	("20020054477" "20020133736" "20050144508").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 14:54
S12	474	(710/9).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 16:02
S13	633	(max\$4 limit) same address same (device (hard adj drive) disk) same ((back adj up) backup spare extra reserve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 16:11
S14	361	S13 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 16:09

EAST Search History

S15	188	((max\$4 limit) with address\$2) same (device (hard adj drive) disk) same ((back adj up) backup spare extra reserve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 16:12
S16	127	S15 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 16:12
S17	29	S16 and ((switch adj over) switchover (fail adj over) failover redundanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 07:41
S18	177077	((switch adj over) switchover (fail adj over) failover redundanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:56
S19	2236	S18 and (((max\$4 limit\$3) near6 ((stor\$3 memor\$3) near3 (devic\$3 disk drive))) same (network\$3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 10:23
S20	15	S19 and RAID and ((spare extra (back adj up) backup reserve) same ((determin\$3 assum\$3 (take adj over) establish\$3 detect\$3 figur\$3) near4 (address location)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 10:33
S21	16	S18 and (((max\$4 limit\$3 finite) near3 (devic\$3 disk block drive)) same (switch near5 (spare extra (back adj up) backup reserve)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 09:21

EAST Search History

S22	16	S21 not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 09:22
S23	361869	(max\$4 limit\$3 finite) near3 (devic\$3 disk drive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 10:25
S24	89230	(assign\$3 giv\$3 designat\$3 delegat\$3 specif\$4 allocat\$3 determin\$3) near3 (address\$3 location protocol) with (devic\$3 disk drive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:59
S25	149	(S24 same S23) and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 10:31
S26	19067	(switch\$3 swap\$3 exchange\$3 replac\$3 shift\$3 (tak\$3 adj over) dominat\$3) same (address location protocol) same (spare extra (back adj up) backup reserve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:27
S27	8	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 10:36
S28	64413	(assign\$3 giv\$3 designat\$3 delegat\$3 specif\$4 allocat\$3 determin\$3) near5 (devic\$3 disk drive) near5 (address\$3 location protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:20

EAST Search History

S29	1337	(switch\$3 swap\$3 exchange\$3 replac\$3 shift\$3) near3 (devic\$3 disk drive) same (address location protocol) same (spare extra (back adj up) backup reserve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:29
S30	343	S28 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:30
S31	168	S18 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:31
S32	121	S31 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:38
S33	36975	(max\$4 limit\$3 finite fixed definite) near3 (devic\$3 disk drive block) near5 (network system bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:27
S34	25903	(max\$4 limit\$3 finite fixed definite) near3 (devic\$3 disk drive block) near3 (network system bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:28
S35	46	(spare extra (back adj up) backup reserve) near3 (determin\$3 identif\$3 assum\$3 detect\$3 figur\$3 establish\$3 discover\$3 recogniz\$3 check consider\$3 find\$3) near3 (assign\$2 allocat\$3 designat\$3 availabl\$3 open free unus\$2 unassign\$2 unallocat\$3 appropriat\$3 acceptable) near3 (address location protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:39

EAST Search History

S36	39	S35 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:58
S37	57959	(assign\$3 giv\$3 designat\$3 delegat\$3 specif\$4 allocat\$3 determin\$3) near3 (address\$3 location protocol) near3 (devic\$3 disk drive block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:59
S38	2470	S34 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:02
S39	303	S34 same S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:02
S40	227	S39 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:03
S41	34	S40 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:32
S42	3	S18 and ((max\$4 near3 (assign\$4 designat\$4 allocat\$3) near2 address\$2) same (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:43

EAST Search History

S43	8832	S18 and ((max\$4 limit\$3) same address\$2 same (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:47
S44	353	S18 and ((max\$4 limit\$3) near4 address\$2 near4 (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:47
S45	105	S18 and ((max\$4 limit\$3) near4 address\$2 near4 (network system)) and ((addition\$2 extra spare backup reserve (back adj up)) near4 (devic\$3 disk drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:02
S46	85	S45 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 15:53
S47	65	S46 and ((allocat\$3 designat\$3 assign\$3 specif\$4) near4 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:01
S48	6	S18 and ((max\$4 limit\$3) near4 address\$2 near4 (network system)) same ((addition\$2 extra spare backup reserve (back adj up)) near4 (devic\$3 disk drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:03
S49	284080	((switch adj over) switchover (fail adj over) failover redundan\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:04

EAST Search History

S50	466729	(extra spare addition\$4 reserve backup (back adj up) undesignat\$3 unassign\$3 unallocat\$3 unreserv\$3) near3 (devic\$3 disk driv\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:16
S51	36134	S49 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:12
S52	603124	((switch\$3 bridg\$3) with (on off in out connect\$3 disconnect\$3 remov\$3 insert\$3 replac\$3)) same (network system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:14
S53	11767	S51 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:14
S54	9817	max\$4 near4 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:21
S55	18	S49 and S54 and (S50 same S52)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:21
S56	14	S55 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:21

EAST Search History

S57	233	S49 and ((max\$4 finit\$2 set\$4 limit\$3 particular\$3) near4 address\$3) and (S50 same S52) and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:29
S58	153	S49 and ((max\$4 finit\$2 set\$4 limit\$3) near4 address\$3) and (S50 same S52) and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:29